

Im Hofstätt 11 D-72359 Dotternhausen Tel +49 (0)7427 9480-0 Fax +49 (0)7427 9480-7025 e-mail info@proactiv-gmbh.de www.proactiv-gmbh.de

CE






Active easy running rigid frame

Basic size

Body size:



 Body height:
 _____ cm


 Weight:
 ____ cm

 Lower leg length:
 ____ cm

(anatomic dimension: hollow of the knee to the foot sole)

Indication:

This information is necessary for checking. If the information is missing, a check of the relevant items cannot be made!



Wheelchair dimensions:

Seat width SB	□ 33 □ 34 □ 35 □ 36 □ 37 □ 38 □ 39 □ 40 Optional with frame, long, special dimension SB possible:
	□ 41 □ 42 □ 43 □ 44 □ 45 □ 46 □ 47 □ 48 □ 49 □ 50 □ 51 □ 52
Seat depth ST	Short frame □ 36 □ 37 □ 38 □ 39 □ 40 □ 41 □ 42 □ 43 □ 44 □ 40 □ 41 □ 42 □ 43 □ 44 □ 41 □ 42 □ 43 □ 44 □ 45 □ 46 □ 47 □ 48
Back height RH	□ 20 □ 21 □ 22 □ 23 □ 24 □ 25 □ 26 □ 27 □ 28 □ 29 □ 30 □ 31 □ 32 □ 33 □ 34 □ 35 □ 36 □ 37 □ 38 □ 39 □ 40 □ 41 □ 42 □ 43 □ 44 □ 45 □ 46 □ 47 □ 48
Lower leg length USL	□ 37 □ 38 □ 39 □ 40 □ 41 □ 42 □ 43 □ 44 □ 45 □ 46 □ 47 □ 48 □ 49 □ 50 □ 51
Seat height back SHh (for 24" drive wheels)	□ 39 □ 40 □ 41 □ 42 □ <u>43</u> □ 44 □ 45
Seat height front SHv (for 5" caster wheel)	□ 44 □ 45 □ 46 □ 47 □ 48 □ 49 □ 50 □ 51 □ 52
Tipping point KP (front side rear tube to axis middle drive wheel)	□3 □4 □5 □6 □7 □ <u>8</u> □9 □10 □11

Please select the required dimensions (all dimensions are in cm).

The underlined values are the standard settings.

The values SHh and SHv may deviate from the specified values depending on the wheel size and wheel camber!

Special dimensions possible upon request.

Frame colour - one-colour design					
Information on current colour designs and example images at: www.proactiv-gmbh.de/farben.php					
Frame colour: Selection from colour pale	ette				
Frame colour will be specified with order A9000100170-000	Raw, blasted, not coated A9000100170-020 Note: In combination with moisture e.g. hand perspiration, can affect dark aluminum discoloration.				
Powder colours					
White RAL 9016 ☐ gloss A9000100170-023 ☐ matt A9000100170-123 € 42.10	Brillant silver gloss A9000100170-011	Anthracite RAL 7016			
Black RAL 9005 ☐ gloss A9000100170-003 ☐ matt A9000100170-019 € 42.10	Pure orange RAL 2004 ☐ gloss A9000100170-022 ☐ matt A9000100170-122	Pink magenta RAL 4010 ■ gloss A9000100170-037 ■ matt A9000100170-137 € 42.10			
Pastel blue RAL 5024 ☐ gloss A9000100170-036 ☐ matt A9000100170-136 € 42.10	Lemon green ☐ gloss A9000100170-005 ☐ matt A9000100170-105 € 42.10	Yellow RAL 1023 ☐ gloss A9000100170-046 ☐ matt A9000100170-146 € 42.10			
Red RAL 3001 ☐ gloss A9000100170-047 ☐ matt A9000100170-147 € 42.10	Lagoon blue ☐ gloss A9000100170-052 ☐ matt A9000100170-152 42.10	Athletic grey			
Muddy grey ☐ gloss A9000100170-051 ☐ matt A9000100170-151 € 42.10					
Powder colours "Dormant"					
Deep black effect silver gloss A9000100170-007	Sky blue gloss A9000100170-017	Navy blue			
Electric green ☐ gloss A9000100170-015 ☐ matt A9000100170-115 € 42.10	Violet ☐ gloss A9000100170-044	Fire red			
Frame colour - One-colour des	ign special colours "liquid coat	ting"			
€ 339.40		_			
Storm (ice blue) gloss A9000100170-500 matt A9000100170-501	Coffee ☐ gloss A9000100170-520 ☐ matt A9000100170-521	Prairie (rose gold) gloss A9000100170-504 matt A9000100170-505			
Pearl (mother of pearl-white) gloss A9000100170-524 matt A9000100170-525	Berry gloss A9000100170-526 matt A9000100170-527	Blue ocean gloss A9000100170-522 matt A9000100170-523			
Emerald gloss A9000100170-514 matt A9000100170-515	Mint gloss A9000100170-528 matt A9000100170-529	Chili gloss A9000100170-516 matt A9000100170-517			

Frame colour - Two-colour des		
Note: In the two-colour design, both colours are t	he same gloss level as the design colour.	
Two-colour design with one base co		€ 260.70
Please select a color from below:		
Base colour (on the rear frame)		
White RAL 9016	Brillant silver	Anthracite RAL 7016
A9000100170-200	A9000100170-201	A9000100170-202
Black RAL 9005	Pastel blue RAL 5024	Lemon green
A9000100170-203	A9000100170-206	A9000100170-207
Yellow RAL 1023	Lagoon blue	Athletic grey
A9000100170-208	A9000100170-212	A9000100170-210
Muddy grey		
A9000100170-211		
Design colour (on the front frame)		
Black RAL 9005	Lemon green	Chili
gloss A9000100170-259	gloss A9000100170-250	gloss A9000100170-253
matt A9000100170-260	matt A9000100170-251	matt A9000100170-254
Bure erenge BAL 2004	Coffee	Mint
Pure orange RAL 2004		
☐ gloss A9000100170-255	gloss A9000100170-278	gloss A9000100170-286
matt A9000100170-256	matt A9000100170-279	matt A9000100170-287
Emerald	Storm (ice blue)	Prairie (rose gold)
gloss A9000100170-274	gloss A9000100170-264	gloss A9000100170-266
matt A9000100170-275	matt A9000100170-265	matt A9000100170-267
Pearl (mother of pearl-white)	Berry	Blue ocean
gloss A9000100170-282	gloss A9000100170-284	gloss A9000100170-280
matt A9000100170-283		
	matt A9000100170-285	matt A9000100170-281
Colour - Attachment parts		
Note: If not specified, the caster fork and bearing		
Drive wheel: aluminum rim, hub and spokes	Caster fork and bearing block Silver A9000100173-011	
Black A9000100171-003	Black A9000100173-011	
	s according to customer request:	
Drive wheel: Aluminium rim and design inlet ¹	Caster wheel: 5" aluminium rim ² (3-spoke design)	
☐ Frame colour	☐ Frame colour	
A9000100171-999 € 242.30	☐ Frame Colour A9000100174-999 € 73.00	
Select from one-colour	Select from one-colour	
design (different from the frame color)	design (different from the frame color)	
A9000100171-998 € 280.50	A9000100174-998 € 84.60	
Colour:	Colour:	
A9000100170-	A9000100170-	
Special colour requests (frame	. ,	DAL
Frame colour for single purchasing Selection from RAL colour palette	Gloss level colour name	RAL number
A9000100170-100 € 402.30	☐ gloss	
	matt —	
Note: attachment parts are not possible in desig		
¹ Only in conjunction with Liteline hub (with drive wh ² Only in conjunction with caster wheel 5" aluminum A900500160*	eel aluminum rim with 18 or 36 spokes, single rim) rim 3-spoke design good shock absorption A9000501	21*, as well as with suspension fork 5-spoke design

- 4 - 2024-06-01 / The prices are plus statutory value-added tax and shipping costs Order sheet colours Rev. 04 UK

Frames		
Note: Footrest area with V-shape $x = SB - (0.25)$	x USL + 6 cm)	
Straight front end	Front end V-shape	Custom-made seat width dimension
A9035100012-K* Knee angle 95°	☐ A9035100020-K* € 294.80 Knee angle 95°	49 - 52 cm ☐ A9030100060
A9035100010-K* Knee angle 105°	☐ A9035100023-K* € 294.80 Knee angle 105°	
Push handles		
Back tube with integrated handles	Aluminum push handles fixed	Horizontal push handles
☐ A9000401051-K € 126.60	in back tube	screwed into the back tube
straight	☐ A9000401050 € 126.60 from RH 23 cm	☐ A9000401076 € 234.80 can be unscrewed
Safety push handles height adjustable	Safety push handles back-positioned length 45 cm	Equipment without push handles
☐ A9000401060* € 210.10		A9000401000
Mount in the back tube from RH 30 cm with adaptable back from RH 35 cm for back tube with lordosis support from RH 43 cm with back shell	A9030401071 € 396.40 continuous height adjustment, Safety push handle holder mounted on the back cross bar Up to SB 42 cm or body weight 95 kg Not in combination with swing-away armrest	
Backrest		
Folding backrest	Back tube with lordosis support	
A9000400021	☐ A9000400005-K € 111.10	
7-way angle adjustable, with integrated plastic-coated aluminum side	□ 1 cm	
parts	☐ 2 cm ☐ 3 cm	

Back equipment If not specified, the "Adaptable back with back padding" will be delivered.				
Adaptable back with back padding	Adaptable back with back padding	Back rise + 3 - 5 cm		
A9000802010-K Cover: Black, breathable, open surface Cushion thickness: 16 mm Equipment with back cross bar	"light" A9000802320-K001 € 44.90 Back padding with extra thin padding for easy, space-saving folding of the wheelchair. Cover: Black, breathable, open surface Cushion thickness: 9 mm Equipment with back cross bar	A9000802100 € 151.60 for the nominal back height dimension Only in combination with height-adjustable push handles		
Equipment without back upholstery and back padding or back system				
☐ A9000802011 € - 53.00 Equipment with back cross bar				
For other back systems for example ergo separate order sheet: "PRO ACTIV seat a				
You will find our PRO ACTIV transport re on our separate "Transport restraint syst				
Seat upholstery	li asad			
If not specified, the "Open belt system" will be de Open belt system	Closed belt system	Equipment without seat upholstery		
☐ A9000801011-K	☐ A9000801020-K € 89.70	A9000801050		
Seat cushion				
55	x = Durchhourg			
Seat cushion in rectangular contour Inlet: Standard	Seat cushion with radius contour	Seat cushion height:		
☐ A9000805180-K* € 111.90	☐ A9000800300-K* € 155.40	□ 3 cm □ 5 cm □ 4 cm □ 6 cm		
Seat cushion in rectangular contour Inlet: Anti-Decubitus	Seat cushion with radius contour Inlet: Anti-Decubitus	Seat cushion height:		
□ up to 30x30 cm A9000805204-K* € 290.00	□ up to 30x30 cm A9000800311-K* € 342.80	☐ 4 cm ☐ 6 cm		
>30x30 up to 50x50 cm A9000805200-K* € 422.00	>30x30 up to 50x50 cm A9000800310-K* € 465.90			

Cover: Black, breathable, open surface Black, breathable, closed surface If no specification is made, the cover material "Black, breathable, open surface" will be delivered.					
☐ Seat cushion is existing	· · · · · · · · · · · · · · · · · · ·				
You can also find the seat cushions on o	our separate order sheet: "PRO ACTIV sea	at and backrest systems"			
Clothing guard					
Aluminum clothing guard removable via Adjustable following wheel arch Only in combination with folding backrest	lock function				
in anthracite matt	in frame colour (basic colour with two-colour	in design colour (only possible with frame			
☐ A9000403215-K € 236.10	design) ☐ A9000403216-K € 302.00	colour in two-colour design) ☐ A9000403217-K € 335.00			
Carbon clothing guard					
removable via lock function					
A9000400013-K € 547.30 Adjustable following wheel arch Only in combination with folding backrest					
Armrests					
Armrest, height adjustable, integrated in Including aluminum clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest	the clothing guard				
Including aluminum clothing guard with arm padding 25 cm long Removable via lock function	in frame colour (basic colour with two-colour	in design colour (only possible with frame			
Including aluminum clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest		in design colour (only possible with frame colour in two-colour design) ☐ A9000400016-K € 629.20			
Including aluminum clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest in anthracite matt	in frame colour (basic colour with two-colour design)	colour in two-colour design)			
Including aluminum clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest in anthracite matt ☐ A9000400014-K € 553.00 Armrest, height adjustable,	in frame colour (basic colour with two-colour design)	colour in two-colour design)			
Including aluminum clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest in anthracite matt ☐ A9000400014-K € 553.00 Armrest, height adjustable, integrated in the clothing guard ☐ A9000400017-K € 836.90 Including carbon clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest Axle plate	in frame colour (basic colour with two-colour design)	colour in two-colour design)			
Including aluminum clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest in anthracite matt ☐ A9000400014-K € 553.00 Armrest, height adjustable, integrated in the clothing guard ☐ A9000400017-K € 836.90 Including carbon clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest Axle plate Standard equipment with 12 mm sockets/axles.	in frame colour (basic colour with two-colour design)	colour in two-colour design)			
Including aluminum clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest in anthracite matt ☐ A9000400014-K € 553.00 Armrest, height adjustable, integrated in the clothing guard ☐ A9000400017-K € 836.90 Including carbon clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest Axle plate	in frame colour (basic colour with two-colour design)	colour in two-colour design)			
Including aluminum clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest in anthracite matt A9000400014-K € 553.00 Armrest, height adjustable, integrated in the clothing guard A9000400017-K € 836.90 Including carbon clothing guard with arm padding 25 cm long Removable via lock function Only in combination with folding backrest Axle plate Standard equipment with 12 mm sockets/axles. Wheelbase extension via "grid	in frame colour (basic colour with two-colour design)	colour in two-colour design)			

Wheel camber				
*Total width with tight-mounted handrim.				
1° drive wheel camber	2,5° drive wheel camber	4° drive wheel camber		
A9030202010 Total width = approx. SB + 20 cm*	A9030202020	A9030202030 Total width = approx. SB + 26 cm*		
6° drive wheel camber				
A9030202040 Total width = approx. SB + 30 cm*				
E-Adaptations				
Preparation for the "e-motion" / "e-motion DuoDrive" mounting ☐ A9030201200-K	Preparation for the "e-fix" mounting A9030201210-K € 488.30 Equipment: e-fix torque support, 1/2" axle and socket length 50.8 mm (2") PRO ACTIV and Alber recommend anti-tipping supports are installed in pairs. Please choose "Adaptations" under the selection.			
Brake system				
If not specified, the "Brake system push to lock w	rith standard brake handle" will be delivered. commend the "Brake system push to lock with brak	te handle 20° outwards"		
Integral handbrake	Brake system push to lock Standard brake handle	Brake system push to lock Long brake handle		
A9035705000 € 241.30 Brake lever fixed under the upper frame tube Only in combination with 4° drive wheel camber	A9000701010-001	A9000701010-002		
	R ACTIV			
Brake system push to lock Low brake handle	Brake system push to lock Brake handle 20° outwards	Brake system push to lock Brake handle to flip-down		
A9000701010-003	Standard brake handle A9000700002	☐ A9000706008 € 154.00		
	Long brake handle A9000701010-004	Length: 9 cm		
PR ACTIV		ORIC PIV		

Footrest If not specified, the "continuous footrest" will be delivered.					
Continuous footrest	Footrest folding up to one side	Footrest folds up to the rear with			
A9030601000-K with tubular resting bracket, foldable, removable When folding the wheelchair, the footrest also folds completely from USL 37 cm. With foot support area x < 22 cm the foot bracket is designed to be parallel. If the footrest is wanted with a "rubber coated footplate", please select this under "Footrest accessories"	A9030601300-K* € 240.10 with continuous tubular resting bracket, height adjustable +/- 3 cm, can be pivoted outwards, removable (with V-shape from SB 40 cm) If the footrest is wanted with a "rubber coated footplate", please select this under "Footrest accessories"	spring locking mechanism A9035602005-K* € 342.90 removable, with continuous tubular resting bracket for KW 105° from USL 39 cm for KW 95° from USL 38 cm If the footrest is wanted with a "rubber coated footplate", please select this under "Footrest accessories"			
Divided footrest	"Swing Away" footrest	-			
A9030603101-K € 392.90 with rubber coated footplate, angle-adjustable, can be pivoted outwards and folded up to the side, removable V-shape from SB 40 cm	A9016604100-K € 392.90 with rubber coated footplate, separated in the middle, pivoted to the side, can be folded up, height adjustable, removable, angle-adjustable				
Footrest accessories					
Rubber coated footplate	Footrest side stop				
A9000610000-K € 122.20 bolted, angle-adjustable Depth: 14 cm	A9000610100 € 58.00 adjustable only in combination with rubber coated footplate				
Adaptations					
Anti-tipping support □ right side A9000300100-K001 € 164.20 □ left side A9000300100-K002 adjustable, removable, can be pivoted, with tension spring and universal adapter	Preparation for mounting the antitipping support with lifting function from Alber (e-fix, e-motion) ☐ A9016300105 € 288.10 Universal adapter is prepared for mounting the anti-tipping support with lifting function from Alber. Supplied without anti-tipping support and antitipping support mount. On the customer side, please order this from Alber	Transit wheels ☐ A9000301100 € 320.00 with universal adapter, removable not in combination with anti-tipping support			

Tilting clamp		
right side A9000302100-K001 € 136.00		
left side A9000302100-K002 with universal adapter and Quick pin not in combination with anti-tipping support, right side or left side		
3" caster wheel		
3" safety light-up wheel (80 mm)		
☐ A9000501110		
4" caster wheel		
4" caster wheel "Standard" solid	4" Skate wheel (100 mm)	4" safety light-up wheel (100 mm)
rubber black	☐ A9000501120 € 68.70	☐ A9000501220 € 92.00
A9000501011-004 (82A), puncture-proof	puncture-proof	puncture-proof
4" Frog Legs caster wheel (100 mm)		
☐ A9000501230 € 206.30		
with replaceable rubber 6 mm, puncture-proof Colour: black, silver rim Incl. hair guard spacer (5.3 mm)		
5" caster wheel		
5" caster wheel "Standard" PU black	5" caster wheel "Standard" PU grey	5" safety light-up wheel (125 mm)
A9000501036-005 (82A), puncture-proof	A9000501031-005 (82A), puncture-proof	☐ A9000501221 € 92.00 puncture-proof

5" aluminum rim 3-spoke design "good shock absorption"	5" Frog Legs caster wheel (125 mm)	
☐ Silver € 174.60	Media A9000501232 € 206.30 with replaceable rubber 6 mm, puncture-proof Colour: black, silver rim	
☐ Black € 174.60	Incl. hair guard spacer (5.3 mm)	
with replaceable rubber 6 mm medium hard, puncture-proof Incl. hair guard spacer (3 mm)		
6" caster wheel		
6" caster wheel "Standard" PU grey	6" caster wheel "pneumatic tyre"	6" caster wheel "Flexel System"
A9000501010-006 (82A), puncture-proof	☐ A9000501050	☐ A9000501070 € 55.50 puncture-proof
Caster fork		
If not specified, the "standard caster fork with scr	ew axle" is supplied.	
Caster fork Standard A9000500100-K001	Caster fork Heavy Duty for high loads Extra weight approx. 100 - 150 gr.	Suspension fork inkl. 5" aluminum rim "good shock absorption"
with screwed axle ☐ A9000500100-K002 € 162.50 with quick-release axle	☐ A90005101111-K001 € 52.40 with screwed axle	☐ A9000500160-K002 € 598.90 with quick-release axle
With quick-release axie	☐ A9000510111-K002 € 212.50 with quick-release axle	
Caster fork spare wheel "Standard"	Caster fork spare wheel "Heavy Duty"	The spare caster fork does not have a caster
A9000500300-K € 288.10 Caster fork Standard with quick-release axles	A9000500301-K € 328.10 Caster fork Heavy Duty with quick-release axles	wheel. In case a caster wheel is requested, please put a cross on a second selection in the category "Caster wheels".

Track distance





A9000500400*

 € 57.40

A9000500410*

€ 57.40

20 mm per side

Drive wheels

Information about other rim types, designs and availability can be found at: www.proactiv-gmbh.de. If not specified, the "drive wheel 36 spokes aluminum rim" will be delivered.

Drive wheel 18-spoke aluminum rim

24" (ETRTO 540) A9000203122

with Liteline hub, radially spoked Not in combination with:

- Puncture-proof tyres
- One-hand drive
- Transport restraint connection
- Handbike

up to 70 kg body weight:

Sturz Gewicht	1°	4°	6°	8°	10°
bis 50 Kg	1	1	1	1	~
51 - 60 Kg	1	1	~	~	
61 - 70 Kg		./			



Spinergy wheel "Spox Sport" with 24 PBO spokes; rim, hub and spokes in black

24" (ETRTO 540) A9000203550

€ 761.30

25" (ETRTO 559) A9000201559

€ 761.30

26" (ETRTO 590) A9000203555

€ 761.30



Drive wheel 36-spoke aluminum rim


24" (ETRTO 540) A9000203000-010 with Liteline hub (left image),

15 mm per side

radially spoked up to 120 kg body weight

24" (ETRTO 540) A9000203000-020

with aluminum front hub (right image), radially spoked over 120 kg body weight



24" (ETRTO 540) A9000203100

€ 153.20

25" (ETRTO 559) A9000203200

€ 153.20

26" (ETRTO 590) A9000203300

€ 153.20

with aluminum front hub,

radially spoked
Use with higher loads and body weight

> 120 kg



Spinergy "Everyday Light Extreme" with 12 PBO spokes; rim and hub in black, spokes in white

24" (ETRTO 540) A9000203554

€ 929.30

Recommendation: up to 70 kg body weight, not in combination with handbike/traction

device use.






rim, hub and spokes in black

24" (ETRTO 540) A9000203552

€ 929.30

Recommendation: up to 70 kg body weight, not in combination with handbike/traction device use.





Handrims				
x = dimension handrim attachment				
Handrim attachment general:	Cur	ndrim attachment ve + Gekko handrim: x = 10 mm x = 18 mm		
If not specified, the handrim will be mo	ounted wide	e (19 mm / 18 mm).		
Stainless steel Ø 20 mm		Aluminum Ø 19 mm silver anodised 24" handrim for 24" wheel and 25" wheel A9000205019-004		Aluminum Ø 19 mm powder coated in frame colour (basic colour with two-colour design) □ = Gloss surface □ = Matt surface Note: Matt coating is not recommended due to the low grip. □ 24" handrim for 24" wheel and 25" wheel € 66.30 A9000205020-004 □ 26" handrim for 26" wheel € 66.30 A9000205020-006
Aluminum Ø 19 mm		Titanium Ø 19 mm		Silicone handrim cover
A9000205030-004 26" handrim for	€ 160.10 € 160.10	24" handrim for 24" wheel and 25" wheel A9000205040-004 26" handrim for 26" wheel A9000205040-006	€ 325.80 € 325.80	for 24" handrim A9000205100-004 for 26" handrim A9000205100-006 Surface without structure, compatible with handrim Ø 19 mm or Ø 20 mm. € 226.00
Ultra-Grip "very grippy"		Ergo-Grip		Curve black anodised,
A9000205070-004	€ 390.70	24" handrim for 24" wheel and 25" wheel A9000205080-004	€ 396.80	ergonomic handrim profile 24" handrim for 24" wheel and 25" wheel H 24 mm € 389.10
26" handrim for 26" wheel A9000205070-006	€ 390.70	26" handrim for 26" wheel A9000205080-006 Attachment fitting to the rim	€ 396.80	A9000205130-004 24" handrim for 24" wheel and 25" wheel H 31 mm, size L A9000205140-004 ■ A9000205140-004
				26" handrim for 26" wheel H 31 mm, size L A9000205140-006

Curve silver anodised ergonomic handrim profile	Curve powder-coated, ergonomic handrim profile	Curve Grip, with Tetra-Grip coating,
☐ 24" handrim for	= Frame colour (gloss surface)	ergonomic handrim profile
24" wheel and 25" wheel € 394.30	= Black (gloss surface)	24" handrim for
H 31 mm, size L A9000205160-004	24" handrim for 24" wheel and 25" wheel H 24 mm A9000205135-004 € 454.00	24" wheel and 25" wheel H 31 mm, size L A9000205150-004 € 505.50
	24" handrim for 24" wheel and 25" wheel H 31 mm, size L A9000205145-004 € 454.00	
	26" handrim for 26" wheel H 31 mm, size L A9000205145-006 € 454.00	
	Profilhöhe H: 24mm oder 31mm	
Quadro	Gekko black anodised	Gekko silver anodised
with Tetra-Grip coating	☐ 24" handrim for	24" handrim for
☐ 24" handrim for	24" wheel and 25" wheel € 501.20	24 nandrim for 24" wheel and 25" wheel € 513.20
24" wheel and 25" wheel € 517.50	A9000205175-004	A9000205185-004
A9000205170-004	☐ 25" handrim for	with a robust and replaceable silicone lip, fully
☐ 25" handrim for	25" wheel € 501.20	integrated into the profile
25" wheel € 517.50	A9000205175-005	
A9000205170-005	☐ 26" handrim for	
26" handrim for	26" wheel € 501.20	
26" wheel € 517.50	A9000205175-006	
A9000205170-006	with a robust and replaceable silicone lip, fully	
	integrated into the profile	
Gekko S black anodised	Equipment without handrims	
24" handrim for 24" wheel and 25" wheel € 501.20 A9000205195-004 with a robust and replaceable silicone lip, fully integrated into the profile Profile height 24 mm	A9000205990	

Spoke guard		
Finger- and spoke guard "transparent"		
☐ for 24" wheel		
☐ for 26" wheel A9000206300-006 € 201.10		
Not in combination with Spinergy drive wheels.		
Tyres		
If not specified, the "Schwalbe RightRun in black		
Schwalbe "RightRun" High-pressure tyres	Schwalbe "RightRun" High-pressure tyres	Schwalbe "DownTown" Profiled tyres
24x1" (540-25) A9000204001-004	24x1" (540-25) A9000204000-004	24x1" (540-25) A9000204010-004
Colour: Black 7.5 bar	25x1" (559-25) A9000204000-005	7.5 bar
	26x1" (590-25) A9000204000-006	
	Colour: Grey, black wall 7.5 bar	
	© by fast Balan Grades	© by Kell Bulles Grosse
Schwalbe "Marathon Plus Evolution" with "smart guard" puncture protection	Schwalbe "Marathon Plus" with "smart guard" puncture protection	Schwalbe "One" □ 24x1" (540-25) A9000204123-004 € 90.30
☐ 24x1" (540-25) A9000204030-014	☐ 24x1" (540-25) A9000204030-004 € 47.80	Colour: Black 9 bar
☐ 25x1" (559-25) A9000204030-015	Colour: Grey, black wall 10 bar	
☐ 26x1" (590-25) A9000204030-016 Colour: Black		
10 bar		
The father		
Puncture-proof "solid rubber tyres"		
☐ 24x1" (540-25) € 119.10		
A9000204201-004 Colour: Black		
Not in combination with the 18 spoke drive wheel, Spinergy and one-hand drive		

Accessories				
24" MTB spare wheel set				
with double rim (ETRTO 507), aluminum front hub, quick-release axle and stainless steel handrim Mountain bike tyres, selectively:				
A9000203410 € 682.90 24x1.75" Schwalbe "Marathon Plus" Brake setting compatible with 24x1" wheel	A9000203413 € 682.90 24x2.1" Schwalbe "SMART SAM Sport" Brake setting not compatible with 24x1" wheel			
Through axle with assistance, Large push button	Lockable drive wheel axle clip "Tetra Clip"	Hand air compressor with pressure gauge		
☐ A9000200096 € 102.70	☐ A9000206400 € 161.60	☐ A9000901100 € 103.20		
Interlock dimension: 122 / 110 mm Axle diameter: 12 mm Not in conjunction with lockable drive wheel axle clip "Tetra Clip", not in combination with one-hand drive	Not in combination with Spinergy drive wheels, one-hand drive, drum brake or Liteline hub	up to 14 bar		
Length-adjustable safety belt with buckle	Adjustable safety belt with hook and fastener	Crutch holder with flexible nylon cup		
☐ A9000902100 € 78.30	☐ A9000902110 € 62.60	☐ A9000902310* € 133.40		
SIGMA lighting set	Transport bag for Traveler-frame	Transport bag for drive wheels		
☐ A9000903270 € 104.80 Consisting of front light and rear lights, chargeable via Micro USB socket,	☐ A9030903200 € 237.00 Only in conjunction with caster forks with quick-release axles	for 24" wheel A9000903530-004 Ø 76 cm x 2 cm € 75.50		
incl. Micro USB charging cable Lighting set compliant with road traffic regulations		for 26" wheel A9000903530-006 Ø 83 cm x 2 cm € 75.50		
	CHONE THE	месчеть		
Locking strap for Traveler				
☐ A9030902200 € 19.50				
Further accessories (such as handbikes, steering attachments, etc.) see separate order form or www.proactiv-gmbh.de.				

Notes and remarks:	
Location, Date The signature field is intended for the consultant and insured person.	Signature End customer/dealer This confirms that the intended equipment is intended for the insured person.